



Anti-Mouse IgG2a Rabbit Monoclonal Antibody, Clone RM219

Catalog No: tcra311

Available Sizes
Size: 100ug
Specifications
Application: Western Blot (WB) (nonreduced only) Immunoprecipitation (IP) Immunohistochemistry (IHC) Flow Cytometry (FC) Immunocytochemistry (ICC) ELISA
Species Reactivity: Mouse
Host Species: Rabbit
Immunogen / Amino acids: Mouse IgG2a
Conjugation: Unconjugated
Clonality: Monoclonal
Clones: RM219
Isotype: Rabbit IgG
Form: Liquid
Storage Buffer:





Web: www.taiclone.com Tel: +886-2-2735-9682 Email: order@taiclone.com

50% Glycerol/PBS with 1% BSA and 0.09% sodium azide

Concentration:

1 mg/mL

Recommended Dilution:

ELISA: 0.005 ug/mL - 0.2 ug/mL; Immunocytochemistry (ICC): 0.5 ug/mL-2 ug/mL; Immunohistochemistry (IHC): 0.5 ug/mL-2 ug/mL; Western Blot (WB): 0.5 ug/mL-2 ug/mL.

Storage Instruction:

store at -20°C; avoid repeated thawing/freezing

SwissProt:

P01863

Gene ID:

380793

Purification:

Protein A affinity purified from an animal origin-free culture supernatant


Notes

Sold under RevMab BioSciences Labelled.


Product Description

Rabbit monoclonal to Mouse IgG2a; This antibody reacts to the Fc region of mouse IgG2a. No cross reactivity with mouse IgG1, IgG2b, IgG2c, IgG3, IgM, IgA, IgE, human IgG, or rat IgG.






reacts to the Fc region of mouse IgG2a; no cross reactivity with IgG1, IgG2b, IgG2c, IgG3, IgM, IgA, IgE, human IgG, or rat IgG. The plate was coated with 50 ng/well of different immunoglobulins. 200 ng/mL, 50 ng/mL, or 10 ng/mL of RM219 was used as the primary antibody. An alkaline phosphatase conjugated anti-rabbit IgG as the secondary antibody.



A titer ELISA of mouse IgG2a. The plate was coated with different amounts of mouse IgG2a. A serial dilution of RM219 was used as the primary antibody. An alkaline phosphatase conjugated anti-rabbit IgG as the secondary antibody.



Western blot of nonreduced(-) and reduced(+) mouse IgG2a, using 0.5ug/mL of RevMAb clone RM219. This antibody reacts to nonreduced IgG2a (~150 kDa).

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!