



# **Anti ARRB1 Antibody**

**Catalog No: tcsa15040** 

Available Sizes
Size: 100µl
Specifications
<b>Application:</b> NB, IHC, IF
Species Reactivity: Human,Mouse,Rat
Host Species: Rabbit
mmunogen / Amino acids: Recombinant protein of human ARRB1
C <b>onjugation:</b> Jnconjugated
C <b>lonality:</b> Monoclonal
<b>sotype:</b> gG
F <b>orm:</b> _iquid
Storage Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

## **Recommended Dilution:**

WB 1:500 - 1:1000 IHC 1:50 - 1:200 IF 1:50 - 1:200



### **Storage Instruction:**

Store at -20C. Avoid freeze / thaw cycles.

#### **Alternative Names:**


ARRB1 antibody; Beta-arrestin-1 antibody; Arrestin beta-1 antibody; Non-visual arrestin-2 antibody; ARRB1 antibody; ARR1 antibody

#### **SwissProt:**


P49407

## **Product Description**


Members of arrestin/beta-arrestin protein family are thought to participate in agonist-mediated desensitization of G-protein-coupled receptors and cause specific dampening of cellular responses to stimuli such as hormones, neurotransmitters, or sensory signals. Arrestin beta 1 is a cytosolic protein and acts as a cofactor in the beta-adrenergic receptor kinase (BARK) mediated desensitization of beta-adrenergic receptors. Besides the central nervous system, it is expressed at high levels in peripheral blood leukocytes, and thus the BARK/beta-arrestin system is believed to play a major role in regulating receptor-mediated immune functions. Alternatively spliced transcripts encoding different isoforms of arrestin beta 1 have been described.




Western blot analysis of extracts of various cell lines, using ARRB1 antibody. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST.



Immunohistochemistry of paraffin-embedded mouse brain using ARRB1 antibody at dilution of 1:100 (40x lens).




Immunohistochemistry of paraffin-embedded human mammary cancer using ARRB1 antibody at dilution of 1:100 (40x lens).




Immunohistochemistry of paraffin-embedded human liver cancer using ARRB1 antibody at dilution of 1:100 (40x lens).







Immunohistochemistry of paraffin-embedded human lung using ARRB1 antibody at dilution of 1:100 (40x lens).




Immunohistochemistry of paraffin-embedded mouse lung using ARRB1 antibody at dilution of 1:100 (40x lens).



Immunofluorescence analysis of PC-12 cells using ARRB1 antibody.



Immunofluorescence analysis of A549 cells using ARRB1 antibody.



Immunofluorescence analysis of HeLa cells using ARRB1 antibody.

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!