

Polyclonal Antibody to Ubiquitin Conjugating Enzyme E2L3 (UBE2L3) Catalog No: tcua1782



Available Sizes

Size: 20ul

Size: 100ul

Size: 200ul



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Homo sapiens (Human)

Host Species:

Rabbit

Immunogen / Amino acids:

Recombinant Ubiquitin Conjugating Enzyme E2L3 (UBE2L3)

Conjugation:

Unconjugated

Clonality:

Polyclonal

Form:

Liquid

Storage Buffer:

0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

Recommended Dilution:

Western blotting: 0.5-2 μ g/mL

Immunohistochemistry: 5-20 μ g/mL

Immunocytochemistry: 5-20 μ g/mL

Optimal working dilutions must be determined by end user.

Alternative Names:

L-UBC; E2-F1; UBCH7; UbcM4; Ubiquitin carrier protein L3; Ubiquitin-conjugating enzyme E2-F1; Ubiquitin-protein ligase L3




Figure. Western Blot; Sample: Lane1: Human K562 Cells; Lane2: Mouse Testis Tissue; Lane3: Rat Testis Tissue.)




Figure. Western Blot; Sample: Recombinant UBE2L3, Human.)




Figure. DAB staining on IHC-P;
Samples: Human Breast Cancer Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Glioma Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Kidney Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Liver Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!