

# Polyclonal Antibody to Prosaposin (PSAP)

Catalog No: tcua2900



## Available Sizes

---

**Size:** 20ul

**Size:** 100ul

**Size:** 200ul



## Specifications

---

**Application:**

WB; IHC; ICC; IP.

**Species Reactivity:**

Homo sapiens (Human)

**Host Species:**

Rabbit

**Immunogen / Amino acids:**

Recombinant Prosaposin (PSAP)

**Conjugation:**

Unconjugated

**Clonality:**

Polyclonal

**Form:**

Liquid

**Storage Buffer:**

0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

**Recommended Dilution:**

Western blotting: 0.5-2ug/ml

Immunocytochemistry in formalin fixed cells: 5-20ug/ml  
Immunohistochemistry in formalin fixed frozen section: 5-20ug/ml  
Immunohistochemistry in paraffin section: 5-20ug/ml  
Enzyme-linked

**Alternative Names:**

SAP1; GLBA; CSAct; Dispersin; Pro-Saposin; Proactivator polypeptide; Glucosylceramidase activator; Sulfatide/GM1 activator; Cerebroside sulfate activator; Sphingolipid Activator 1




Figure. Western Blot; Sample: Lane1: Human 293T Cells; Lane2: Human HeLa Cells.)




Figure. Western Blot ; Sample: Recombinant PSAP, Human.)




Figure. DAB staining on IHC-P; Samples: Human Glioma Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Liver Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Lung Cancer Tissue)




Figure. FITC staining on IHC-P; Samples: Human Hela Cells.)




Figure. DAB staining on IHC-P; Samples: Human Brain Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!