

Tenofovir

Catalog No: tcsc1609



Available Sizes

Size: 5mg

Size: 10mg

Size: 50mg

Size: 100mg



Specifications

CAS No:

147127-20-6

Formula:

$C_9H_{14}N_5O_4P$

Pathway:

Anti-infection;Anti-infection

Target:

Reverse Transcriptase;HIV

Purity / Grade:

>98%

Solubility:

H2O : 2 mg/mL (6.96 mM; Need ultrasonic)

Alternative Names:

GS 1278;PMPA;TDF

Observed Molecular Weight:


287.21

Product Description

Tenofovir is a **nucleotide reverse transcriptase inhibitor** to treat HIV and chronic Hepatitis B.

In Vitro: Tenofovir shows cytotoxic effects on cell viability in HK-2 cells, with IC_{50} values of 9.21 and 2.77 μ M at 48 and 72 h in MTT assay, respectively. Tenofovir diminishes ATP levels in HK-2 cells. Tenofovir (3.0 to 28.8 μ M) increases oxidative stress and protein carbonylation in HK-2 cells. Furthermore, Tenofovir induces apoptosis in HK-2 cells, and that apoptosis is induced via mitochondrial damage^[1]. Tenofovir and M48U1 formulated in 0.25% HEC each inhibits the replication of both R5-tropic HIV-1_{BaL} and X4-tropic HIV-1_{IIIb} in activated PBMCs, and inhibits several laboratory strains and patient-derived HIV-1 isolates. The combined formulation of M48U1 and tenofovir in 0.25% HEC exhibits synergistic antiretroviral activity against infection with R5-tropic HIV-1_{BaL}, and is not toxic to PBMCs^[2].

In Vivo: Tenofovir Disoproxil Fumarate (20, 50, 140, or 300 mg/kg) administered to BLT mice, shows dose dependent activity during vaginal HIV challenge in BLT humanized mice. Tenofovir Disoproxil Fumarate (50, 140, 300 mg/kg) significantly reduces HIV transmission in BLT mice^[3]. Tenofovir Disoproxil Fumarate (0.5, 1.5, or 5.0 mg/kg/day, p.o.) induces a dose-dependent decline in serum viremia in woodchucks chronically infected with WHV. Tenofovir Disoproxil Fumarate administration is safe and effective in the woodchuck model of chronic HBV infection^[4].



All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!