



## **Seviteronel (racemate)**

**Catalog No: tcsc3141** 

Available Sizes
Size: 5mg
Size: 10mg
Size: 50mg
Size: 100mg
Specifications
CAS No: 1375603-36-3
<b>Formula:</b> $C_{18}^{H}_{17}^{F}_{4}^{N}_{3}^{O}_{3}$
Pathway: Metabolic Enzyme/Protease
Target: Cytochrome P450
Purity / Grade: >98%
Solubility: 10 mM in DMSO
Alternative Names: VT-464 (racemate)
Observed Molecular Weight: 399.34





## **Product Description**

Seviteronel (VT-464) racemate is the racemate form of Seviteronel (VT-464), which is a potent CYP17 lyase inhibitor(h-Lyase  $IC_{50}$  =nM)inhibition.

IC50 & Target: IC50: 69 nM(VT-464, h-CYP17 Lyase)[1].

*In Vitro:* Seviteronel (VT-464), a non-steroidal small molecule inhibits androgen production without mineralocorticoid excess or cortisol depletion by selective inhibition of CYP17 17,20-lyase. We determined the impact of Seviteronel on tumor growth of a mCRPC xenograft, MDA-PCa-133, in vivo, and on androgen signaling in C4-2B prostate cancer cells in vitro [2].

In Vivo: The MDA-PCa-133 xenograft is derived from a clinical CRPC bone metastasis. Subcutaneous MDA-PCa-133 tumor expresses PSA, full-length androgen receptor (AR) and AR-V7 isoform. We determined the effect of Seviteronel (VT-464) and AA on MDA-PCa-133 growing in tumor-bearing castrated male mice: randomization into three groups; oral treatment with vehicle only, Seviteronel (VT-464), (100 mg/kg bid), or AA (100 mg/kg bid) for 25 days. Both Seviteronel (VT-464) and AA reduced tumor volume (>two fold compared to vehicle; p

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!