

Polyclonal Antibody to Calcyclin Binding Protein (CACYBP)

Catalog No: tcua3377



Available Sizes

Size: 20ul

Size: 100ul

Size: 200ul



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Homo sapiens (Human)

Host Species:

Rabbit

Immunogen / Amino acids:

Recombinant Calcyclin Binding Protein (CACYBP)

Conjugation:

Unconjugated

Clonality:

Polyclonal

Form:

Liquid

Storage Buffer:

0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

Recommended Dilution:

Western blotting: 0.5-2ug/ml

Immunocytochemistry in formalin fixed cells: 5-20ug/ml

Immunohistochemistry in formalin fixed frozen section: 5-20ug/ml

Immunohistochemistry in paraffin section: 5-20ug/ml

Enzyme-linked

Alternative Names:

SIP; GIG5; PNAS-107; RP1-102G20.6; S100A6BP; S100A6-binding protein; Siah-interacting protein




Figure. Western Blot; Sample: Lane1: Porcine Brain Tissue; Lane2: Human HeLa Cells; Lane3: Human A431 Cells.)




Figure. Western Blot; Sample: Recombinant CACYBP, Human.)




Figure. DAB staining on IHC-P; Samples: Human Prostate Gland Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Kidney Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Stomach Cancer Tissue.)




Figure. FITC staining on IHC-P; Samples: Human Hela Cells.)




Figure. DAB staining on IHC-P; Samples: Human Liver Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!