



# **ELISA Kit for Gastric Inhibitory Polypeptide (GIP)**

Catalog No: tcue245



## **Available Sizes**

Size: 96T



# **Specifications**

#### **Research Area:**

Endocrinology; Gastroenterology; Hormone metabolism;

## **Species Reactivity:**

Mus musculus (Mouse)

## **Sample Type:**

Serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids

## **Sensitivity:**

The minimum detectable dose of this kit is typically less than 25.2pg/mL

## **Detection Range:**

61.7-5,000pg/mL

### **Assay Time:**

2h

#### **Detection Method:**

Enzyme-linked immunosorbent assay for Antigen Detection.

# **Tested Application:**

**ELISA** 

### **SwissProt:**

P48756


# **Test Principle**

This assay employs the competitive inhibition enzyme immunoassay technique. A monoclonal antibody specific to Gastric Inhibitory





Polypeptide (GIP) has been pre-coated onto a microplate. A competitive inhibition reaction is launched between biotin labeled Gastric Inhibitory Polypeptide (GIP) and unlabeled Gastric Inhibitory Polypeptide (GIP) (Standards or samples) with the pre-coated antibody specific to Gastric Inhibitory Polypeptide (GIP). After incubation the unbound conjugate is washed off. Next, avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. The amount of bound HRP conjugate is reverse proportional to the concentration of Gastric Inhibitory Polypeptide (GIP) in the sample. After addition of the substrate solution, the intensity of color developed is reverse proportional to the concentration of Gastric Inhibitory Polypeptide (GIP) in the sample.



All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!