

# **ELISA Kit for Carnitine Acylcarnitine Translocase** (CACT)

# **Catalog No: tcue947**

Available Sizes

**Size:** 96T



#### **Research Area:**

Enzyme & Kinase;Hematology;Cardiovascular biology;Bone metabolism;

#### **Species Reactivity:**

Rattus norvegicus (Rat)

#### Sample Type:

Tissue homogenates and other biological fluids.

#### Sensitivity:

The minimum detectable dose of this kit is typically less than 0.133ng/mL

#### **Detection Range:**

0.312-20ng/mL

### **Assay Time:** 3h

#### **Detection Method:**

Enzyme-linked immunosorbent assay for Antigen Detection.

#### **Tested Application:**

ELISA

## SwissProt:


P97521

Copyright 2021 Taiclone Biotech Corp.



## **Test Principle**

The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Carnitine Acylcarnitine Translocase (CACT). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Carnitine Acylcarnitine Translocase (CACT). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Carnitine Acylcarnitine Translocase (CACT), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm  $\pm 10$ nm. The concentration of Carnitine Acylcarnitine Translocase (CACT) in the samples is then determined by comparing the O.D. of the samples to the standard curve.



All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!

Copyright 2021 Taiclone Biotech Corp.