

# ELISA Kit for Oncostatin M Receptor (OSMR) Catalog No: tcue994

**Available Sizes** 

**Size:** 96T

Specifications

**Research Area:** Signal transduction;Tumor immunity;

**Species Reactivity:** Homo sapiens (Human)

Sample Type: Urine, tissue homogenates, cell lysates and other biological fluids

Sensitivity:

The minimum detectable dose of this kit is typically less than 0.057ng/mL

**Detection Range:** 

0.156-10ng/mL

Assay Time:

3h

### **Detection Method:**

Enzyme-linked immunosorbent assay for Antigen Detection.

## **Tested Application:**

ELISA

### SwissProt:


Q99650

# **Test Principle**

The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated



with an antibody specific to Oncostatin M Receptor (OSMR). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Oncostatin M Receptor (OSMR). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Oncostatin M Receptor (OSMR), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzymesubstrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm  $\pm$  10nm. The concentration of Oncostatin M Receptor (OSMR) in the samples is then determined by comparing the O.D. of the samples to the standard curve.



All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!

Copyright 2021 Taiclone Biotech Corp.