



## **ELISA Kit for Fatty Acid Desaturase 3 (FADS3)**

**Catalog No: tcue3029** 

Available Sizes	
Size: 96T	
Specifications	
Research Area: Enzyme & Kinase;	
Species Reactivity: Homo sapiens (Human)	
Sample Type: Tissue homogenates and other biological fluids.	
Sensitivity: The minimum detectable dose of this kit is typically less than 0.118ng/mL	
<b>Detection Range:</b> 0.312-20ng/mL	
Assay Time: 3h	
<b>Detection Method:</b> Enzyme-linked immunosorbent assay for Antigen Detection.	
Tested Application:	

## Tested Application:

**ELISA** 

## **SwissProt:**

Q9Y5Q0


## **Test Principle**

The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated





with an antibody specific to Fatty Acid Desaturase 3 (FADS3). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Fatty Acid Desaturase 3 (FADS3). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Fatty Acid Desaturase 3 (FADS3), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of  $450 \text{nm} \pm 10 \text{nm}$ . The concentration of Fatty Acid Desaturase 3 (FADS3) in the samples is then determined by comparing the O.D. of the samples to the standard curve.



All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!