




ELISA Kit for Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH)

Catalog No: tcue3586



Specifications

Research Area:

Enzyme & Kinase; Metabolic pathway; Cardiovascular biology; Hepatology; Nutrition metabolism;

Species Reactivity:

Mus musculus (Mouse)

Sample Type:

tissue homogenates, cell lysates, cell culture supernates and other biological fluids

Sensitivity:

The minimum detectable dose of this kit is typically less than 0.056ng/mL

Detection Range:

0.156-10ng/mL

Assay Time:

3h

Detection Method:

Enzyme-linked immunosorbent assay for Antigen Detection.

Tested Application:

ELISA

SwissProt:


P16858





Test Principle

The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm \pm 10nm. The concentration of Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH) in the samples is then determined by comparing the O.D. of the samples to the standard curve.



All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!