

# DAP3 Immunizing Peptide

Catalog No: tcva05427p



## Available Sizes

---

**Size:** 100µg



## Specifications

---

**Application:**

For Blocking studies, reconstitute pellet in 200µl distilled water to obtain a 0.5mg/ml peptide solution.

**Form:**

Lyophilised peptide

**Concentration:**

5pmol/µL ; Formulation 5pmol/µL in 5% (v/v) acetonitrile/H<sub>2</sub>O.

**Purity / Grade:**

>95%

**Storage Instruction:**

Shipped at ambient temperature, store at -20°C.

**Alternative Names:**

DAP3; death associated protein 3; DAP-3; DKFZp686G12159; MGC126058; MGC126059; MRP-S29; MRPS29; bMRP-10; death-associated protein 3; mitochondrial 28S ribosomal protein S29

**Predicted Molecular Weight:**


45.6; 41.7; 41.0

**Sequence:**


NPSLLERHCAYL

## Product Description


The peptide was used in the production of Product # tcva05427 Goat Anti-DAP3 Antibody .It is currently untested in blocking applications.




EB05427 (0.5 $\mu$ g/ml) staining of guanidinium thiocyanate-treated HeLa before (left) and after (right) si-RNA-mediated DAP3 knock-down expression. Primary incubation 1h at ambient temp. Detection by DyLight 488. Nuclear DAPI stain.



EB05427 (2.5 $\mu$ g/ml) staining of paraffin embedded Human Cortex. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB05427 (2.5 $\mu$ g/ml) staining of paraffin embedded Human Tonsil. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB05427 staining (3 $\mu$ g/ml) of HeLa lysate (RIPA buffer, 30 $\mu$ g total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!