

DAP3 Immunizing Peptide

Catalog No: tcva05427p



Available Sizes

Size: 100µg



Specifications

Application:

For Blocking studies, reconstitute pellet in 200µl distilled water to obtain a 0.5mg/ml peptide solution.

Form:

Lyophilised peptide

Concentration:

5pmol/µL ; Formulation 5pmol/µL in 5% (v/v) acetonitrile/H₂O.

Purity / Grade:

>95%

Storage Instruction:

Shipped at ambient temperature, store at -20°C.

Alternative Names:

DAP3; death associated protein 3; DAP-3; DKFZp686G12159; MGC126058; MGC126059; MRP-S29; MRPS29; bMRP-10; death-associated protein 3; mitochondrial 28S ribosomal protein S29

Predicted Molecular Weight:


45.6; 41.7; 41.0

Sequence:


NPSLLERHCAYL

Product Description


The peptide was used in the production of Product # tcva05427 Goat Anti-DAP3 Antibody .It is currently untested in blocking applications.




EB05427 (0.5 μ g/ml) staining of guanidinium thiocyanate-treated HeLa before (left) and after (right) si-RNA-mediated DAP3 knock-down expression. Primary incubation 1h at ambient temp. Detection by DyLight 488. Nuclear DAPI stain.



EB05427 (2.5 μ g/ml) staining of paraffin embedded Human Cortex. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB05427 (2.5 μ g/ml) staining of paraffin embedded Human Tonsil. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB05427 staining (3 μ g/ml) of HeLa lysate (RIPA buffer, 30 μ g total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!