

# Polyclonal Antibody to Cyclophilin D (CYPD)

Catalog No: tcua4764



## Available Sizes

---

**Size:** 20ul

**Size:** 100ul

**Size:** 200ul



## Specifications

---

**Application:**

WB; IHC; ICC; IP.

**Species Reactivity:**

Homo sapiens (Human)

**Host Species:**

Rabbit

**Immunogen / Amino acids:**

Recombinant Cyclophilin D (CYPD)

**Conjugation:**

Unconjugated

**Clonality:**

Polyclonal

**Form:**

Liquid

**Storage Buffer:**

0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

**Recommended Dilution:**

Western blotting: 0.5-2ug/ml

Immunocytochemistry in formalin fixed cells: 5-20ug/ml  
Immunohistochemistry in formalin fixed frozen section: 5-20ug/ml  
Immunohistochemistry in paraffin section: 5-20ug/ml  
Enzyme-linked

**Alternative Names:**

PPID; CYP-40; CyP-D; PPIase D; Peptidylprolyl Isomerase D; Cyclophilin 40; 40 kDa peptidyl-prolyl cis-trans isomerase; Cyclophilin-related protein; Rotamase D




Figure. Western Blot; Sample: Lane1: Human A549 Cells; Lane2: Mouse Spleen Tissue; Lane3: Mouse Brain Tissue; Lane4: Rat Brain Tissue.)




Figure. Western Blot; Sample: Recombinant CYPD, Human.)




Figure:FITC staining on IHC-P  
Simple: A549 cells.)




Figure. DAB staining on IHC-P; Samples Human Liver Cancer Tissue.)




Figure. DAB staining on IHC-P; Samples (Human Brain Tissue.)




Figure. DAB staining on IHC-P; Samples (Human Glioma Tissue.)




Figure. DAB staining on IHC-P; Samples (Human Liver Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!