

Polyclonal Antibody to Cadherin 5 (CDH5)

Catalog No: tcua5065



Available Sizes

Size: 20ul

Size: 100ul

Size: 200ul



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Homo sapiens (Human)

Host Species:

Rabbit

Immunogen / Amino acids:

Recombinant Cadherin 5 (CDH5)

Conjugation:

Unconjugated

Clonality:

Polyclonal

Form:

Liquid

Storage Buffer:

0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

Recommended Dilution:

Western blotting: 1-5ug/ml

Immunocytochemistry in formalin fixed cells: 5-20ug/ml
Immunohistochemistry in formalin fixed frozen section: 5-20ug/ml
Immunohistochemistry in paraffin section: 5-20ug/ml
Enzyme-linked Im

Alternative Names:

CD144; 7B4; Cadherin 5 Type 2; VE-Cadherin; Cadherin, Vascular Endothelial




Figure. Western Blot; Sample: Lane1: Bovine Kidney Tissue; Lane2: Bovine Brain Tissue; Lane3: Bovine Spleen Tissue.)




Figure. Western Blot; Sample: Recombinant CDH5, Human.)




Figure. DAB staining on IHC-P; Samples: Human Skin Cancer Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Kidney Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Lung Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!