



# Biotinylated Anti-Mouse IgG goat monoclonal antibody [RMG07]

**Catalog No: tcra323b** 

Available Sizes
Size: 50ug
Specifications
Application: IP, ICC, IHC, FC, ELISA
Species Reactivity: Mouse
<b>Host Species:</b> Goat
<b>Immunogen / Amino acids:</b> Mouse IgG
<b>Conjugation:</b> Biotin
<b>Clonality:</b> Monoclonal
<b>Clones:</b> RMG07
<b>lsotype:</b> Goat IgG
Form: Liquid
Storage Buffer: 50% Glycerol/PBS with 1% BSA and 0.09% sodium azide



Web: www.taiclone.com Tel: +886-2-2735-9682 Email: order@taiclone.com

1 mg/mL

# **Recommended Dilution:**

ELISA: 0.05ug/mL - 1ug/mL; ICC

IHC: 0.5ug/mL - 2ug/mL.

# **Storage Instruction:**

store at -20°C; avoid repeated thawing/freezing

### **SwissProt:**

P01868

### **Gene ID:**

16017

# **Purification:**

Protein G affinity purified from an animal origin-free culture supernatant

# **Notes**


Sold under RevMab BioSciences Labelled.

# **Product Description**


Biotinylated Goat monoclonal to Mouse IgG; This antibody reacts to Mouse IgG, including IgG1, IgG2a, IgG2b, and IgG3. No cross reactivity with IgM, IgA, IgE, human IgG, rat IgG, or rabbit IgG.







ELISA of mouse immunoglobulins shows RMG07 reacts to mouse IgG1, IgG2a, IgG2b, and IgG3; no cross reactivity with IgM, IgA, IgE, human IgG, rat IgG, and rabbit IgG. The plate was coated with 50 ng/well of different immunoglobulins. 500 ng/mL, 200 ng/mL, or 50 ng/mL of RMG07 was used as the primary antibody. An alkaline phosphatase conjugated anti-goat IgG as the secondary antibody.



A titer ELISA of mouse IgG. The plate was coated with different amounts of mouse IgG. A serial dilution of RMG07 was used as the primary antibody. An alkaline phosphatase conjugated anti-goat IgG as the secondary antibody.

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!