



# Goat Anti-Bovine IgG F(ab')2 secondary antibody

**Catalog No: tcoa2330** 

| 且                    | Available Sizes                                  |
|----------------------|--|
| Size                 | : 5mg  |
|                      | Specifications                                   |
|                      | ication:<br>ern Blot;Immunohistochemistry;ELISA  |
| <b>Spec</b><br>Bovir | cies Reactivity:<br>ne                           |
| <b>Host</b><br>Goat  | Species:   |
|                      | unogen / Amino acids:<br>ne IgG F(ab')2 Fragment |
|                      | <b>ugation:</b><br>njugated                      |
| <b>Forn</b><br>Liqui |  |
| Stor                 | age Buffer:                                      |

In 20 mM KH2PO4, 150 mM NaCl, pH 7.2 (0.01% sodium azide)

### **Storage Instruction:**

Store at 4°C. For long term storage store at -20°C. <br/>
<br/>
Aliquot to avoid repeated freezing and thawing.

#### **Purification:**

This product was prepared from monospecific antiserum by immunoaffinity chromatography, followed by solid phase adsorption(s) to remove any unwanted reactivities

### **Notes**





This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

## **Product Description**

Goat anti-bovine IgG recognizes bovine IgG F(ab')2 fragment. This secondary antibody was purified using antigen affinity chromatography.



All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!