



# **MAPK3 Polyclonal Antibody**

**Catalog No: tcba157** 

WB 1:500 - 1:2000

IHC 1:50 - 1:200

Available Sizes
Size: 50ul
Size: 100ul
Size: 200ul
Specifications
Application: WB,IHC
Research Area: Cancer,Stem cells,mTOR pathway,MAPK pathway,Neuroscience,Neurodegeneration,TGF-β SMAD pathway,JAK STAT pathway,MAPK/ERK pathway,
Species Reactivity: Human,Mouse,Rat
Host Species: Rabbit
<b>Isotype:</b> IgG
Form: Liquid
Storage Buffer: Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Recommended Dilution:





### **Storage Instruction:**

Store at -20°C. Avoid freeze / thaw cycles.

#### **Alternative Names:**

ERK-1;ERK1;ERT2;HS44KDAP;HUMKER1A;p44-ERK1;p44-MAPK;P44ERK1;P44MAPK;PRKM3

#### **SwissProt:**

P27361

#### **Gene ID:**

5595 (human);

## **Calculated Molecular Weight:**

38kDa/40kDa/43kDa

#### **Purification:**


Affinity purification


#### **Cellular Location:**

Cytoplasm, Nucleus,


# **Product Description**

The protein encoded by this gene is a member of the MAP kinase family. MAP kinases, also known as extracellular signal-regulated kinases (ERKs), act in a signaling cascade that regulates various cellular processes such as proliferation, differentiation, and cell cycle progression in response to a variety of extracellular signals. This kinase is activated by upstream kinases, resulting in its translocation to the nucleus where it phosphorylates nuclear targets. Alternatively spliced transcript variants encoding different protein isoforms have been described.












Immunohistochemistry of paraffin-embedded human liver using MAPK3 Antibody at dilution of 1:100 (40x lens).




Immunohistochemistry of paraffin-embedded human kidney using MAPK3 Antibody at dilution of 1:100 (40x lens).




Immunohistochemistry of paraffin-embedded human kidney cancer using MAPK3
Antibody at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded mouse lung using MAPK3 Antibody at dilution of 1:100 (40x lens).




Immunohistochemistry of paraffin-embedded mouse liver using MAPK3 Antibody at dilution of 1:100 (40x lens).




Immunohistochemistry of paraffin-embedded mouse testis using MAPK3 Antibody at dilution of 1:100 (40x lens).






Immunohistochemistry of paraffin-embedded mouse brain using MAPK3 Antibody at dilution of 1:100 (40x lens).




Immunohistochemistry of paraffin-embedded mouse kidney using MAPK3 Antibody at dilution of 1:100 (40x lens).




Immunohistochemistry of paraffin-embedded mouse heart using MAPK3 Antibody at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded rat kidney using MAPK3 Antibody at dilution of 1:100 (40x lens).




Immunohistochemistry of paraffin-embedded rat heart using MAPK3 Antibody at dilution of 1:100 (40x lens).




Immunohistochemistry of paraffin-embedded human kidney using MAPK3 Antibody at dilution of 1:100 (40x lens).







Immunohistochemistry of paraffin-embedded mouse testis using MAPK3 Antibody at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded mouse heart using MAPK3 Antibody at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded rat lung using MAPK3 Antibody at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded rat liver using MAPK3 Antibody at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded rat skeletal muscle using MAPK3
Antibody at dilution of 1:100 (40x lens).

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!