

Polyclonal Antibody to Coagulation Factor XIII A1 Polypeptide (F13A1)

Catalog No: tcua5510



Available Sizes

Size: 20ul

Size: 100ul

Size: 200ul



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Homo sapiens (Human)

Host Species:

Rabbit

Immunogen / Amino acids:

Recombinant Coagulation Factor XIII A1 Polypeptide (F13A1)

Conjugation:

Unconjugated

Clonality:

Polyclonal

Form:

Liquid

Storage Buffer:

0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

Recommended Dilution:

Western blotting: 0.5-2 μ g/ml

Immunocytochemistry in formalin fixed cells: 5-20 μ g/mL

Immunohistochemistry in formalin fixed frozen section: 5-20 μ g/mL

Immunohistochemistry in paraffin section: 5-20 μ g/mL

Optimal workin

Alternative Names:

F13-A1; FXIII A1; Protein-glutamine gamma-glutamyltransferase A chain; Transglutaminase A chain; Coagulation factor XIII A chain




Figure. Western Blot; Sample: Lane1: Human Lung Tissue; Lane2: Human A549 Cells.)




Figure. Western Blot; Sample: Recombinant F13A1, Human.)




Figure:FITC staining on IHC-P
Simple: A549 cells.)




Figure. DAB staining on IHC-P;
Samples: Human Prostate Gland Cancer Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Glioma Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Stomach Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Prostate Gland Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!