

Polyclonal Antibody to Heat Shock 70kDa Protein 1A (HSPA1A)

Catalog No: tcua5536

KO VALIDATED



Available Sizes

Size: 20ul

Size: 100ul

Size: 200ul



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Homo sapiens (Human)

Host Species:

Rabbit

Immunogen / Amino acids:

Recombinant Heat Shock 70kDa Protein 1A (HSPA1A)

Conjugation:

Unconjugated

Clonality:

Polyclonal

Form:

Liquid

Storage Buffer:

0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

Recommended Dilution:

Western blotting: 0.5-2ug/ml

Immunocytochemistry in formalin fixed cells: 5-20ug/ml

Immunohistochemistry in formalin fixed frozen section: 5-20ug/ml

Immunohistochemistry in paraffin section: 5-20ug/ml

Enzyme-linked

Alternative Names:

HSP70-1; HSP-A1A; HSPA1; HSP70-2; HSX70





Figure. Western Blot; Sample: Lane1: Porcine Liver Tissue; Lane2: Porcine Brain Tissue; Lane3: Mouse Liver Tissue; Lane4: Human A549 Cells .)



Knockout Varification:
Lane 1: Wild-type A549 cell lysate;
Lane 2: HSPA1A knockout A549 cell lysate;
Predicted MW: 64,70kDa
Observed MW: 64kDa
Primary Ab: 3µg/ml Rabbit Anti-Human HSPA1A Antibody
Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody
Catalog: SAA544Rb19)




Figure. Western Blot; Sample: Recombinant HSPA1A, Human.)




Figure. DAB staining on IHC-P; Samples□Human Brain Tissue.)




Figure. DAB staining on IHC-P; Samples (Human Prostate Tissue.)




Figure. DAB staining on IHC-P; Samples (Human Kidney Tissue.)




Figure. DAB staining on IHC-P; Samples (Human Stomach Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!