

Polyclonal Antibody to Glycogen Phosphorylase, Liver (PYGL)

Catalog No: tcua5957



Available Sizes

Size: 20ul

Size: 100ul

Size: 200ul



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Homo sapiens (Human)

Host Species:

Rabbit

Immunogen / Amino acids:

Recombinant Glycogen Phosphorylase, Liver (PYGL)

Conjugation:

Unconjugated

Clonality:

Polyclonal

Form:

Liquid

Storage Buffer:

0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

Recommended Dilution:

Western blotting: 0.5-5 μ g/mL

Immunohistochemistry: 5-20 μ g/mL

Immunocytochemistry: 5-20 μ g/mL

Optimal working dilutions must be determined by end user.

Alternative Names:

GPLL; GPBB; Hers Disease; Glycogen Storage Disease Type VI




Figure. Western Blot; Sample: Lane1: Human Liver Tissue; Lane2: Human HepG2 Cells; Lane3: Human Hela Cells; Lane4: Human 293T Cells.)




Figure. Western Blot; Sample: Recombinant PYGL, Human.)




Figure. DAB staining on IHC-P;
Samples: Human Liver Cancer Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Kidney Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Kidney Cancer Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Liver Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!