

NLK Polyclonal Antibody

Catalog No: tcba8114



Available Sizes

Size: 50ul

Size: 100ul

Size: 200ul



Specifications

Application:

WB,IHC

Research Area:

Cancer,Stem cells,Cell cycle,Wnt pathway,Developmental Biology,Cell Biology,

Species Reactivity:

Human,Mouse,Rat

Host Species:

Rabbit

Isotype:

IgG

Form:

Liquid

Storage Buffer:

Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Recommended Dilution:

WB 1:500 - 1:2000

IHC 1:50 - 1:200

Storage Instruction:

Store at -20°C. Avoid freeze / thaw cycles.

SwissProt:

Q9UBE8

Gene ID:

51701 (human);

Calculated Molecular Weight:


58kDa

Purification:

Affinity purification

Cellular Location:

Cytoplasm, Nucleus,



Western blot analysis of extracts of various cell lines, using NLK antibody at 1:1000 dilution.


Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution.

Lysates/proteins: 25ug per lane.


Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit.


Exposure time: 90s.




Immunohistochemistry of paraffin-embedded rat spinal cord using NLK antibody at dilution of 1:100 (40x lens).




Immunohistochemistry of paraffin-embedded rat brain using NLK antibody at dilution of 1:100 (40x lens).




Immunohistochemistry of paraffin-embedded human lung using NLK antibody at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded human stomach using NLK antibody at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded mouse lung using NLK antibody at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded mouse spleen using NLK antibody at dilution of 1:100 (40x lens).

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!