

Polyclonal Antibody to Tachykinin Receptor 2 (TACR2)

Catalog No: tcua6513



Available Sizes

Size: 20ul

Size: 100ul

Size: 200ul



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Homo sapiens (Human)

Host Species:

Rabbit

Conjugation:

Unconjugated

Clonality:

Polyclonal

Form:

Liquid

Storage Buffer:

PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.

Recommended Dilution:

Western blotting: 0.2-2µg/mL;1:250-2500


Immunohistochemistry: 5-20µg/mL;1:25-100

Immunocytochemistry: 5-20µg/mL;1:25-100


Optimal working dil

Alternative Names:


NK2-R; NK2R; NKNAR; SKR; TAC2R; Substance-K Receptor; Neurokinin A Receptor




Western Blot; Sample: Human Lung lysate; Primary Ab: 1µg/ml Rabbit Anti-Human TACR2 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



Western Blot; Sample: Human Hela cell lysate; Primary Ab: 1µg/ml Rabbit Anti-Human TACR2 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody Catalog: SAA544Rb19)



Western Blot; Sample: Porcine Small intestine lysate; Primary Ab: 1µg/ml Rabbit Anti-Human TACR2 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody Catalog: SAA544Rb19)



Western Blot; Sample: Porcine Heart lysate; Primary Ab: 1µg/ml Rabbit Anti-Human TACR2 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody Catalog: SAA544Rb19)




Figure. Western Blot; Sample: Recombinant protein.)





Figure:FITC staining on IHC-P
Simple: Hela cells)



DAB staining on IHC-P; Samples: Human Pancreatic cancer Tissue)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!