

Polyclonal Antibody to Mucin 1 (MUC1)

Catalog No: tcua6937



Available Sizes

Size: 20ul

Size: 100ul

Size: 200ul



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Mus musculus (Mouse)

Host Species:

Rabbit

Immunogen / Amino acids:

Recombinant Mucin 1 (MUC1)

Conjugation:

Unconjugated

Clonality:

Polyclonal

Form:

Liquid

Storage Buffer:

0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

Recommended Dilution:

Western blotting: 0.5-2ug/ml

Immunocytochemistry in formalin fixed cells: 5-20ug/ml
Immunohistochemistry in formalin fixed frozen section: 5-20ug/ml
Immunohistochemistry in paraffin section: 5-20ug/ml
Enzyme-linked

Alternative Names:

CD227; EMA; H23AG; KL-6; PEM; PEMT; PUM; CA15-3; Cancer antigen 15-3; Carcinoma-associated mucin; Episialin; Peanut-reactive urinary mucin; Polymorphic epithelial mucin




Figure. Western Blot; Sample: Mouse Pancreas Tissue.)




Figure. Western Blot; Sample: Recombinant MUC1, Mouse.)




Figure. DAB staining on IHC-P; Samples: Mouse Kidney Tissue.)




Figure. DAB staining on IHC-P; Samples: Mouse Heart Tissue.)




Figure. DAB staining on IHC-P; Samples: Mouse Lung Tissue.)




Figure. DAB staining on IHC-P; Samples: Mouse Liver Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!