

Polyclonal Antibody to Ubiquitin (Ub)

Catalog No: tcua7419



Available Sizes

Size: 20ul

Size: 100ul

Size: 200ul



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Homo sapiens (Human), Mus musculus (Mouse), Rattus norvegicus (Rat), Oryctolagus cuniculus (Rabbit), Canis familiaris; Canine (Dog), Sus scrofa; Porcine (Pig), Bos taurus; Bovine (Cattle), Equus caballus; Equine (Horse)

Host Species:

Rabbit

Immunogen / Amino acids:

Recombinant Ubiquitin (Ub)

Conjugation:

Unconjugated

Clonality:

Polyclonal

Form:

Liquid

Storage Buffer:

0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

Recommended Dilution:

Western blotting: 1-5ug/ml

Immunocytochemistry in formalin fixed cells: 5-20ug/ml

Immunohistochemistry in formalin fixed frozen section: 5-20ug/ml

Immunohistochemistry in paraffin section: 5-20ug/ml

Enzyme-linked Im

Alternative Names:

Ubiquitin B; UbB; Ubiquitous Immunopietic Polypeptide; Polyubiquitin B




Figure. Western Blot; Sample. Lane1: Human Lung Tissue; Lane2: Human Hela Cells; Lane3: Mouse Liver Tissue.)




Figure. Western Blot; Sample: Recombinant Ub, Human.)




Figure. DAB staining on IHC-P; Samples: Human Kidney Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Glioma Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Liver Cancer Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Lung Cancer Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!