

Monoclonal Antibody to Inhibin Beta A (INHbA)

Catalog No: tcua8406



Available Sizes

Size: 20ul

Size: 100ul

Size: 200ul



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Rattus norvegicus (Rat)

Host Species:

Mouse

Immunogen / Amino acids:

Recombinant Inhibin Beta A (INHbA)

Conjugation:

Unconjugated

Clonality:

Monoclonal

Isotype:

IgG2a Kappa

Form:

Liquid

Storage Buffer:

PBS, pH7.4, containing 0.02% NaN₃, 50% glycerol.

Recommended Dilution:

Western blotting: 0.5-5ug/ml

Immunocytochemistry in formalin fixed cells: 5-30ug/ml

Immunohistochemistry in formalin fixed frozen section: 5-30ug/ml

Immunohistochemistry in paraffin section: 5-30ug/ml

Enzyme-linked

Alternative Names:

INH-BA; INHB-A; EDF; FRP; Activin A,Activin AB Alpha Polypeptide; Activin beta-A chain; Erythroid differentiation protein




Figure. Western Blot; Sample: Recombinant INHbA, Rat.)




Figure. DAB staining on IHC-P;
Samples: Rat Adrenal Gland Tissue.)




Figure. DAB staining on IHC-P;
Samples: Rat Testis Tissue.)




Figure. DAB staining on IHC-P;
Samples: Rat Liver Tissue.)




Figure. DAB staining on IHC-P; Samples: Rat Heart Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!