

Monoclonal Antibody to Regenerating Islet Derived Protein 3 Gamma (REG3g)

Catalog No: tcua8544

KO VALIDATED



Available Sizes

Size: 20ul

Size: 100ul

Size: 200ul



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Homo sapiens (Human)

Host Species:

Mouse

Immunogen / Amino acids:

Recombinant Regenerating Islet Derived Protein 3 Gamma (REG3g)

Conjugation:

Unconjugated

Clonality:

Monoclonal

Clones:

C18

Isotype:

IgG2b Kappa

Form:

Liquid

Storage Buffer:

0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

Recommended Dilution:

Western blotting: 0.5-5 μ g/mL

Immunocytochemistry in formalin fixed cells: 5-30 μ g/mL

Immunohistochemistry in formalin fixed frozen section: 5-30 μ g/mL

Immunohistochemistry in paraffin section: 5-30 μ g/mL

Optimal workin

Alternative Names:

REG-III; PAP1B; PAPIB; UNQ429; Pancreatitis-associated protein 1B; Regenerating islet-derived protein III-gamma




Figure. Western Blot; Sample: Lane1: Human Serum; Lane2: Rat Testis Tissue.)




Figure. Western Blot; Sample: Recombinant REG3g, Human.)




Figure. DAB staining on IHC-P;
Samples: Human Liver Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Prostate Gland Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Stomach Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Kidney Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!