

Monoclonal Antibody to Ferroportin (FPN)

Catalog No: tcua8598



Available Sizes

Size: 20ul

Size: 100ul

Size: 200ul



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Homo sapiens (Human)

Host Species:

Mouse

Immunogen / Amino acids:

Recombinant Ferroportin (FPN)

Conjugation:

Unconjugated

Clonality:

Monoclonal

Clones:

C2

Isotype:

IgG2b Kappa

Form:

Liquid

Storage Buffer:

0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

Recommended Dilution:

Western blotting: 0.5-5 μ g/mL

Immunocytochemistry in formalin fixed cells: 5-30 μ g/mL

Immunohistochemistry in formalin fixed frozen section: 5-30 μ g/mL

Immunohistochemistry in paraffin section: 5-30 μ g/mL

Optimal workin

Alternative Names:

SLC40A1; FPN1; HFE4; IREG1; MTP1; SLC11A3; Solute Carrier Family 40,Member 1; Iron-Regulated Transporter




Figure. Western Blot; Sample: Porcine Skeletal Muscle Tissue.)




Figure. Western Blot; Sample: Recombinant FPN, Human.)




Figure.DAB staining on IHC-P
Samples:Human Glioma Tissue.)




Figure.DAB staining on IHC-P
Samples:Human Stomach Tissue.)




Figure.DAB staining on IHC-P
Samples:Human Rectum Cancer Tissue.)




Figure.DAB staining on IHC-P;Samples:Human Brain Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!