

Monoclonal Antibody to Amphiregulin (AREG)

Catalog No: tcua8680



Available Sizes

Size: 20ul

Size: 100ul

Size: 200ul



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Homo sapiens (Human)

Host Species:

Mouse

Immunogen / Amino acids:

Recombinant Amphiregulin (AREG)

Conjugation:

Unconjugated

Clonality:

Monoclonal

Clones:

A9

Isotype:

IgG2b Kappa

Form:

Liquid

Storage Buffer:

0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

Recommended Dilution:

Western blotting: 0.5-5ug/ml

Immunocytochemistry in formalin fixed cells: 5-30ug/ml


Immunohistochemistry in formalin fixed frozen section: 5-30ug/ml

Immunohistochemistry in paraffin section: 5-30ug/ml

Enzyme-linked

Alternative Names:

AR; CRDGF; SDGF; Colorectum Cell-Derived Growth Factor; Schwannoma-Derived Growth Factor



Western Blot; Sample: Human Placenta lysate; Primary Ab: 4μg/ml Mouse Anti-Human AREG Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Mouse IgG Polyclonal Antibody (Catalog: SAA544Mu19)




Figure. Western Blot; Sample: Recombinant AREG, Human.)




Figure. DAB staining on IHC-P;
Samples: Human Glioma Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Liver Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Prostate Gland Cancer Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Brain Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!