

Monoclonal Antibody to Interleukin 12A (IL12A)

Catalog No: tcua8690



Available Sizes

Size: 20ul

Size: 100ul

Size: 200ul



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Homo sapiens (Human)

Host Species:

Mouse

Immunogen / Amino acids:

Recombinant Interleukin 12A (IL12A)

Conjugation:

Unconjugated

Clonality:

Monoclonal

Clones:

C1

Isotype:

IgG2b Kappa

Form:

Liquid

Storage Buffer:

0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

Recommended Dilution:

Western blotting: 0.5-5ug/ml

Immunocytochemistry in formalin fixed cells: 5-30ug/ml

Immunohistochemistry in formalin fixed frozen section: 5-30ug/ml

Immunohistochemistry in paraffin section: 5-30ug/ml

Enzyme-linked

Alternative Names:

p35; IL12-A; CLMF1; NFSK; NKSF1; Natural Killer Cell Stimulatory Factor 1; Cytotoxic Lymphocyte Maturation Factor 1; NF Cell Stimulatory Factor Chain 1




Figure. Western Blot; Sample: Lane1: Human leukocyte Cells; Lane2: Human Lymphocytes Cells.)




Figure. Western Blot; Sample: Recombinant IL12A, Human.)




Figure. DAB staining on IHC-P;
Samples: Human Glioma Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Kidney Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Stomach Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Prostate Gland Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!