

# Recombinant Goat Anti-Rabbit IgG Fab Antibody- sodium azide free

Catalog No: tcna4753saf



## Available Sizes

---

**Size:** 100ug

---



## Specifications

---

**Application:**

WB (non-reduced), IP, ICC, IHC, FACS, ELISA

---

**Species Reactivity:**

Rabbit

---

**Host Species:**

Goat

---

**Immunogen / Amino acids:**

Rabbit IgG was used as the immunogen for this recombinant Rabbit IgG Fab antibody.

---

**Conjugation:**

Purified

---

**Clonality:**

Recombinant Goat Monoclonal

---

**Clones:**

RMG01

---

**Isotype:**

Goat IgG

---

**Form:**

Liquid

---

**Storage Buffer:**

1 mg/ml in PBS without glycerol/BSA/sodium azide

---

**Recommended Dilution:**

ELISA: 0.01ug/ml - 0.5ug/ml

Immunocytochemistry: 0.5-2ug/ml

Immunohistochemistry (FFPE): 0.5-2ug/ml (1)

Western Blot (non-reduced): 0.1-0.5ug/ml The stated application concentrations are suggested starting points.

Titration of the recombinant Rabbit IgG Fab antibody may be required due to differences in protocols and secondary/substrate sensitivity.

1. A pH6 Citrate buffer or pH9 Tris/EDTA buffer HIER step is recommended for testing of FFPE tissue sections.

**Storage Instruction:**

Store the recombinant Rabbit IgG Fab antibody at -20oC (with glycerol) or aliquot and store at -20oC (without glycerol).

**Gene ID:**



N/A (human);


**References**

Purified

**Product Description**

This recombinant Rabbit IgG Fab antibody reacts to the Fab region of Rabbit IgG. No cross reactivity with human/mouse/rat IgG.





ELISA Titration: the plate was coated with different amounts of rabbit IgG. A serial dilution of the recombinant Rabbit IgG Fab antibody was used as the primary and an alkaline phosphatase conjugated anti-goat IgG as the secondary.

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!