

# APC/CY7 Linked Polyclonal Antibody to Pleckstrin Homology Domain Containing Family A, Member 1 (PLEKHA1)

Catalog No: tcua842APCCY7



## Available Sizes

---

**Size:** 100ug



## Specifications

---

**Application:**

WB; IHC; ICC; IP.

**Species Reactivity:**

Rabbit

**Host Species:**

Rabbit

**Immunogen / Amino acids:**

PLEKHA1 (Thr105~Leu351)

**Conjugation:**

APC/CY7

**Clonality:**

Polyclone

**Concentration:**

200ug/ml

**Storage Instruction:**

Avoid repeated freeze/thaw cycles. Store at 4 °C for frequent use. Aliquot and store at -20 °C for 12 months.

**Alternative Names:**

TAPP1; Tandem PH Domain Containing Protein-1; PH domain-containing family A member 1





Figure. Western Blot; Sample: Lane1: Human Lung Tissue; Lane2: Human Jurkat Cells; Lane3: Porcine Heart Tissue; Lane4: Porcine Liver Tissue.)



Knockout Varification: <br/>Lane 1: Wild-type Jurkat cell lysate; <br/>Lane 2: IDH2 knockout Jurkat cell lysate; <br/>Predicted MW: 51,45kDa <br/>Observed MW: 45kDa<br/>Primary Ab: 1µg/ml Rabbit Anti-Human IDH2 Antibody<br/>Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody<br/>Catalog: SAA544Rb19)




Figure. Western Blot; Sample: Recombinant IDH2, Human.)




Figure. DAB staining on IHC-P; Samples: Human Kidney Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Glioma Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Liver Cancer Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Stomach Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!