

APC/CY7 Linked Polyclonal Antibody to Octamer Binding Transcription Factor 2 (OCT2)

Catalog No: tcua4722APCCY7



Available Sizes

Size: 100ug



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Rabbit

Host Species:

Rabbit

Immunogen / Amino acids:

42645(Ala49~Ile288)

Conjugation:

APC/CY7

Clonality:

Polyclone

Concentration:

200ug/ml

Storage Instruction:

Avoid repeated freeze/thaw cycles. Store at 4 °C for frequent use. Aliquot and store at -20 °C for 12 months.

Alternative Names:

OTF2; POU2F2; POU Domain, Class 2, Transcription Factor 2; Lymphoid-restricted immunoglobulin octamer-binding protein NF-A2; Octamer-binding transcription factor 2




Figure. Western Blot; Sample: Lane1: Mouse Heart Tissue; Lane2: Rat Heart Tissue; Lane3: Human HeLa Cells.)




Figure. Western Blot; Sample: Recombinant PPIF, Mouse.)




Figure:FITC staining on IHC-P
Simple: HeLa cells)




Figure. DAB staining on IHC-P;
Samples: Mouse Heart Tissue.)




Figure. DAB staining on IHC-P;
Samples: Mouse Liver Tissue.)




Figure. DAB staining on IHC-P;
Samples: Mouse Stomach Tissue.)




Figure. DAB staining on IHC-P; Samples: Mouse Brain Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!