

APC/CY7 Linked Polyclonal Antibody to Indoleamine 2,3 Dioxygenase (IDO)

Catalog No: tcua4736APCCY7



Available Sizes

Size: 100ug



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Rabbit

Host Species:

Rabbit

Immunogen / Amino acids:

IDO (Gly26~Ala199)

Conjugation:

APC/CY7

Clonality:

Polyclone

Concentration:

200ug/ml

Storage Instruction:

Avoid repeated freeze/thaw cycles. Store at 4 °C for frequent use. Aliquot and store at -20 °C for 12 months.

Alternative Names:

CD107B; INDO; Indoleamine-Pyrrole 2,3 Dioxygenase

SwissProt:

P28776




Figure. Western Blot; Sample: Human HeLa Cells.)




Figure. Western Blot; Sample: Recombinant EMMPRIN, Human.)




Figure. DAB staining on IHC-P; Samples: Human Kidney Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Glioma Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Stomach Tissue.)




Figure. FITC staining on IHC-P; Samples: Human HeLa Cells.)




Figure. DAB staining on IHC-P; Samples: Human Prostate Gland Cancer Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!