

# APC/CY7 Linked Polyclonal Antibody to Tumor Necrosis Factor Receptor Superfamily, Member 1B (TNFRSF1B)

Catalog No: tcua4797APCCY7



## Available Sizes

**Size:** 100ug



## Specifications

**Application:**

WB; IHC; ICC; IP.

**Species Reactivity:**

Rabbit

**Host Species:**

Rabbit

**Immunogen / Amino acids:**

TNFRSF1B (His303~Ala474)

**Conjugation:**

APC/CY7

**Clonality:**

Polyclone

**Concentration:**

200ug/ml

**Storage Instruction:**

Avoid repeated freeze/thaw cycles. Store at 4 °C for frequent use. Aliquot and store at -20 °C for 12 months.

**Alternative Names:**

CD120B; P75; TBPII; TNF-R-II; TNF-R75; TNFBR; TNFR2; TNFR80; P75tnfr; Tumor necrosis factor receptor 2; p80 TNF-alpha receptor; Etanercept





Figure. Western Blot; Sample: Lane1: Human HeLa Cells; Lane2: Human Jurkat Cells.)



Knockout Varification: Lane 1: Wild-type HeLa cell lysate; Lane 2: TNFRSF1A knockout HeLa cell lysate; Predicted MW: 50,38,25kDa Observed MW: 23kDa Primary Ab: 3µg/ml Rabbit Anti-Human TNFRSF1A Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody Catalog: SAA544Rb19)




Figure. Western Blot; Sample: Recombinant TNFRSF1A, Human.)




Figure:FITC staining on IHC-P  
Simple: HeLa cells)




Figure. DAB staining on IHC-P; Samples: Human Brain Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Kidney Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Lung Cancer Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!