

APC/CY7 Linked Polyclonal Antibody to Nucleoporin 50kDa (NUP50) Catalog No: tcua5500APCCY7



Available Sizes

Size: 100ug



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Rabbit

Host Species:

Rabbit

Immunogen / Amino acids:

NUP50 (Asn134~Val393)

Conjugation:

APC/CY7

Clonality:

Polyclone

Concentration:

200ug/ml

Storage Instruction:

Avoid repeated freeze/thaw cycles. Store at 4 °C for frequent use. Aliquot and store at -20 °C for 12 months.

Alternative Names:

NPAP60; NPAP60L; Nuclear pore-associated protein 60 kDa-like




Figure. Western Blot; Sample: Lane1: Human Lung Tissue; Lane2: Human A549 Cells.)




Figure. Western Blot; Sample: Recombinant F13A1, Human.)




Figure:FITC staining on IHC-P
Simple: A549 cells.)




Figure. DAB staining on IHC-P;
Samples: Human Prostate Gland Cancer Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Glioma Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Stomach Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Prostate Gland Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!