

APC/CY7 Linked Polyclonal Antibody to Nucleoporin 35kDa (NUP35) Catalog No: tcua5526APCCY7



Available Sizes

Size: 100ug



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Rabbit

Host Species:

Rabbit

Immunogen / Amino acids:

NUP35 (Thr132~Lys310)

Conjugation:

APC/CY7

Clonality:

Polyclone

Concentration:

200ug/ml

Storage Instruction:

Avoid repeated freeze/thaw cycles. Store at 4 °C for frequent use. Aliquot and store at -20 °C for 12 months.

Alternative Names:

MP44; NP44; Mitotic phosphoprotein 44; Nuclear pore complex protein Nup53





Figure. Western Blot; Sample: Lane1: Porcine Liver Tissue; Lane2: Porcine Brain Tissue; Lane3: Mouse Liver Tissue; Lane4: Human A549 Cells .)



Knockout Varification:
Lane 1: Wild-type A549 cell lysate;
Lane 2: HSPA1A knockout A549 cell lysate;
Predicted MW: 64,70kDa
Observed MW: 64kDa
Primary Ab: 3µg/ml Rabbit Anti-Human HSPA1A Antibody
Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody
Catalog: SAA544Rb19)




Figure. Western Blot; Sample: Recombinant HSPA1A, Human.)




Figure. DAB staining on IHC-P; Samples□Human Brain Tissue.)




Figure. DAB staining on IHC-P; Samples□Human Prostate Tissue.)




Figure. DAB staining on IHC-P; Samples□Human Kidney Tissue.)




Figure. DAB staining on IHC-P; Samples (Human Stomach Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!