

# APC/CY7 Linked Polyclonal Antibody to Nitric Oxide Synthase Trafficker (NOSTRIN)

Catalog No: tcua6491APCCY7



## Available Sizes

**Size:** 100ug



## Specifications

**Application:**

WB; IHC; ICC; IP.

**Species Reactivity:**

Rabbit

**Host Species:**

Rabbit

**Immunogen / Amino acids:**

NOSTRIN (Thr6~His245)

**Conjugation:**

APC/CY7

**Clonality:**

Polyclone

**Concentration:**

200ug/ml

**Storage Instruction:**

Avoid repeated freeze/thaw cycles. Store at 4 °C for frequent use. Aliquot and store at -20 °C for 12 months.

**Alternative Names:**

BM247 homolog; Nitric oxide synthase traffic inducer; eNOS-trafficking inducer





Figure. Western Blot; Sample: Lane1: Human Liver Tissue; Lane2: Human Jurkat Cells; Lane3: Human HeLa Cells.)



Knockout Varification: Lane 1: Wild-type Jurkat cell lysate; Lane 2: CASP3 knockout Jurkat cell lysate; Predicted MW: 31kDa Observed MW: 31kDa Primary Ab: 5µg/ml Rabbit Anti-Human CASP3 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody Catalog: SAA544Rb19)




Figure. Western Blot; Sample: Recombinant CASP3, Human.)




Figure. DAB staining on IHC-P; Samples: Human Thyroid Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Kidney Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Esophagus Cancer Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Liver Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!