

APC/CY7 Linked Polyclonal Antibody to Hexosaminidase A Alpha (HEXa)

Catalog No: tcua7374APCCY7



Available Sizes

Size: 100ug



Specifications

Application:

WB; IHC; ICC; IP.

Species Reactivity:

Rabbit

Host Species:

Rabbit

Immunogen / Amino acids:

HEXa (Leu319~Thr528)

Conjugation:

APC/CY7

Clonality:

Polyclone

Concentration:

200ug/ml

Storage Instruction:

Avoid repeated freeze/thaw cycles. Store at 4 °C for frequent use. Aliquot and store at -20 °C for 12 months.

Alternative Names:

TSD; Hex-A; Tay Sachs Disease; GM2 Gangliosidosis; Beta-Hexosaminidase Subunit Alpha; Beta-N-Acetylhexosaminidase Subunit Alpha; N-Acetyl-Beta-Glucosaminidase Alpha

SwissProt:

P29416




Figure. Western Blot; Sample: Recombinant GLa, Human.)




Figure. DAB staining on IHC-P;
Samples: Human Kidney Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Stomach Cancer Tissue.)




Figure. DAB staining on IHC-P;
Samples: Human Breast Cancer Tissue.)




Figure. HE staining on IHC-P;
Samples: Human Adrenal Gland Tissue.)




Figure. HE staining on IHC-P;
Samples: Human Intestine Tissue.)




Figure. DAB staining on IHC-P; Samples: Human Liver Tissue.)

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!