

# PBR (mouse) Immunizing Peptide

Catalog No: tcva09203p



## Available Sizes

**Size:** 100µg



## Specifications

### Application:

For Blocking studies, reconstitute pellet in 200µl distilled water to obtain a 0.5mg/ml peptide solution.

### Form:

Lyophilised peptide

### Concentration:

5pmol/µL ; Formulation 5pmol/µL in 5% (v/v) acetonitrile/H<sub>2</sub>O.

### Purity / Grade:

>95%

### Storage Instruction:

Shipped at ambient temperature, store at -20°C.

### Alternative Names:

PBR; Tspo; translocator protein; Bzrp; IBP; benzodiazepine receptor, peripheral; isoquinoline-binding protein; peripheral benzodiazepine receptor

### Predicted Molecular Weight:


18.8

### Sequence:


C-RDNSGRRGGSRLPE

## Product Description


The peptide was used in the production of Product # tcva09203 Goat Anti-PBR (mouse) Antibody .It is currently untested in blocking applications.



B09203 (3.75µg/ml) staining of paraffin embedded Human Squamous Epithelium. Steamed antigen retrieval with citrate buffer Ph 6, AP-staining. **This data is from a previous batch, not on sale.**




B09203 (3.75µg/ml) staining of paraffin embedded Human Adipose. Steamed antigen retrieval with citrate buffer pH 6, AP-staining. **This data is from a previous batch, not on sale.**



EB09203 (3.75µg/ml) staining of paraffin embedded Human Renal Tubules. Steamed antigen retrieval with citrate buffer pH 6, AP-staining. **This data is from a previous batch, not on sale.**



EB09203 (0.1µg/ml) staining of NIH3T3 cell lysate (35µg protein in RIPA buffer). Detected by chemiluminescence.



EB09203 (0.3µg/ml) staining of Mouse Kidney (A) and Rat Adrenal Gland (B) lysate (35µg protein in RIPA buffer). Detected by chemiluminescence.

All products are for RESEARCH USE ONLY. Not for diagnostic & therapeutic purposes!